

The Monstera Guide

Monstera deliciosa



How to use this guide

The texture of the mix. The angle of new growth. The distance between leaves. The speed of drying. Good care begins by noticing what changed before deciding what to do.

THE ONE-CHANGE RULE

Change one condition.
Record what happened. Give
the plant time to answer.

Contents

PLANT IDENTITY	
BOTANICAL	<i>Monstera deliciosa</i>
FAMILY	Araceae
ORIGIN	Southern Mexico to Panama
HABIT	Evergreen climbing vine

SECTION	PAGE
Plant profile	04
Care at a glance	05
Light	06
Placement	07
Watering	08
Humidity and temperature	09
Soil and fertilizer	10
Monstera anatomy	11

SECTION	PAGE
Climbing support	12
Troubleshooting	13
Repotting	14
Propagation	15
Seasonal care	16
Pet safety	17
Observation log	18

HOW TO USE THIS GUIDE

Start with the condition you can observe. Avoid making several changes at once.
The printable log at the end is part of the care system, not an afterthought.



Plant profile

In nature, a Monstera uses aerial roots to attach as its stem rises. Indoors, a sturdy support helps the plant express that climbing form.

Care at a glance

Bright, stable, draining, and observed. The essentials are simpler than the internet makes them sound.

LIGHT

Bright, indirect light. Protect leaves from harsh direct summer sun.

WATER

Water thoroughly after the top 1 to 2 inches of the mix have dried.

HUMIDITY

Moderate household humidity can work. Avoid radiators and drying drafts.

WARMTH

Aim for 65-77°F (18-25°C) without abrupt temperature swings.

SOIL

Use an organic, airy indoor mix in a container that drains freely.

SUPPORT

Give the climbing stem a sturdy pole or trellis and soft, loose ties.

THE RELIABLE DEFAULT

Let part of the root zone dry, then water the entire root ball and let every excess drop escape.

Light

Window direction is only the beginning. Trees, buildings, season, curtains, and distance all change the light that reaches a leaf.

TOO INTENSE

Bleached or scorched patches after exposure to stronger sun.

USEFUL RANGE

Generous ambient daylight without hot sun resting on the foliage.

TOO DIM

Smaller new leaves, longer gaps along the stem, or reduced fenestration.

ADJUST SLOWLY

Move the plant in stages. Sudden changes can burn or stress established leaves.

ABOUT THE HOLES

Young leaves naturally lack fenestrations. As the plant matures, good light and climbing support help it produce larger, more divided leaves.



Placement

This is a visual principle, not a measured distance. Watch the actual leaf surface and the plant's new growth.

Watering

The calendar should remind you to inspect the pot, not instruct you to pour.



Moisture check, complete watering, and free drainage.

01

FEEL DEEPER

Probe 1 to 2 inches below the surface. If that layer is moist, wait.

02

WATER EVENLY

When that zone is dry, wet the full surface until water exits below.

03

LET IT FINISH

Drain completely and empty any saucer or decorative outer pot.

Humidity and temperature

Monstera appreciates humid air and steady warmth, but one mandatory humidity percentage is not supported for every home.

GOOD RANGE	Aim for 65-77°F (18-25°C). Keep conditions steady and protect the plant from sudden cold or hot drafts.
DRY AIR	Persistent dry air or radiator exposure can contribute to brown leaf edges. A room humidifier is more reliable than occasional misting.
WINTER	Shorter days and indoor heat can slow growth while drying the air. Check the mix before watering and stabilize the location.

KEEP THE SYSTEMS SEPARATE

Humidity is moisture in the air. It does not correct saturated soil around the roots.

Soil and fertilizer



A modest pot increase, draining mix, and stable support.

POTTING MIX

Choose an organic indoor mix with enough coarse structure to accept water, drain freely, and resist compaction. Commercial mixes vary, so judge the finished structure rather than following one universal recipe.

FERTILIZER

Feed active growth with a balanced liquid houseplant fertilizer at the label rate. Monthly feeding while growing is a reasonable starting point. Reduce or pause when growth slows.

Monstera anatomy



Numbered markers correspond to the definitions at right.

① LEAF BLADE

The broad photosynthetic surface.

② FENESTRATION

A naturally occurring opening in a mature leaf blade.

③ PETIOLE

The flexible stalk joining blade to stem.

④ NODE

The point where a leaf, bud, or root can emerge.

⑤ AXILLARY BUD

The growth point needed for a cutting to make a new vine.

⑥ AERIAL ROOT

An attaching root produced along the climbing stem.

Climbing support



CHOOSE

A sturdy pole or trellis able to carry a top-heavy mature plant.

POSITION

Place the support close to the back of the main climbing stem.

TIE

Use soft, loose ties around the main stem and support. Do not bind the moving petioles.

GUIDE

Direct aerial roots toward the support or potting mix instead of cutting them without need.

CHECK THE TIE

As the stem thickens, loosen or move ties before they press into living tissue.

Troubleshooting

Check the pattern, the root zone, and the recent change before reaching for a remedy.

WHAT YOU SEE	WHAT TO INSPECT	FIRST RESPONSE
Yellow lower leaves	Wet mix, blocked drainage, root condition, or one isolated older leaf.	Pause automatic watering and inspect moisture before changing care.
Brown edges	Dry air, radiator exposure, inconsistent watering, or accumulated salts.	Stabilize the environment and review the full watering cycle.
Fewer leaf holes	Plant age, smaller new leaves, dim placement, or lack of support.	Improve indirect light gradually and support the climbing stem.
Soft dark tissue	Cold exposure, prolonged saturation, physical damage, or root decline.	Check temperature and roots. Remove only tissue that is clearly dead.
Speckling or pests	Leaf undersides, joints, raised scale, fine webbing, or cottony clusters.	Separate the plant, confirm the pest, and follow a labeled treatment.

DO NOT STACK REMEDIES

Extra water, fertilizer, repotting, homemade pesticide, and a new location applied together can increase stress and erase the evidence. Change one condition at a time unless roots are actively failing.

Repotting



A modest container increase preserves a manageable moisture balance.

01

PREPARE

Choose a draining pot only slightly larger. Ready the mix and support.

02

INSPECT

Look before teasing. Healthy roots are firm, not soft or foul-smelling.

03

SET

Keep the original planting depth. Position support beside the main stem.

04

SETTLE

Backfill gently, water once, drain, and return to stable light.

WHEN TO ACT

Repot when roots densely fill the container, water runs through a root-packed pot, the mix has collapsed, or the plant needs a safer support setup. Spring is convenient, but urgent drainage or root problems should not wait.

Propagation

A leaf may stay green in water, but without a node and axillary bud it cannot produce a new vine.



Node-bearing cutting through establishment.

01

CHOOSE

Find a healthy node and bud.

02

CUT

Cut 1-2 inches below the node.

03

ROOT

Use clean water or moist, airy medium.

04

WAIT

Roots often form in 2 to 4 weeks; new leaves may take 2 to 3 months.

Seasonal care

Indoor seasons are shaped by daylight, heating, cooling, and windows. The plant's pace remains the primary signal.

OBSERVE	SPRING	SUMMER	AUTUMN	WINTER
LIGHT	Move closer gradually.	Shield harsh sun.	Watch shorter days.	Use the brightest safe place.
WATER	Drying may accelerate.	Check more often.	Intervals may widen.	Confirm dryness first.
FEED	Begin with growth.	Continue at label rate.	Reduce as growth slows.	Pause if inactive.
PROJECTS	Repot and support.	Rotate and inspect.	Clean and check pests.	Stabilize warmth.

THE USEFUL SCHEDULE

Schedule observations. Let the observations determine the care.

Pet safety

The plant contains insoluble calcium oxalate crystals that can cause painful irritation when chewed.

POSSIBLE SIGNS

Oral burning or irritation

Drooling or pawing at the mouth

Vomiting

Difficulty swallowing

WHAT TO DO

Remove access to the plant and contact your veterinarian or a pet poison-control service.

Difficulty breathing or swallowing requires urgent veterinary care.

ASPCA ANIMAL POISON CONTROL

(888) 426-4435

A consultation fee may apply.

For people, plant sap may irritate skin and eyes, and plant tissue is harmful if eaten. Wear gloves if your skin is sensitive and keep the plant away from young children.

Observation log: before a change

Use one page for one care decision. Print extra copies of pages 18-19 whenever you need them.

PLANT NAME OR IDENTIFYING NOTE

DATE

LOCATION AND WINDOW DIRECTION

WHAT I OBSERVED

POTTING MIX BEFORE WATERING

☐ Wet ☐ Moist ☐ Dry at surface ☐ Dry deeper ☐ Not checked

ONE ACTION I TOOK

Observation log: follow-up

Return after enough time has passed to notice a meaningful response. Avoid adding a second change too quickly.

FOLLOW-UP DATE

DAYS SINCE THE CHANGE

WHAT CHANGED NEXT

WHAT STAYED THE SAME

MY NEXT OBSERVATION DATE AND WHY

☐ Continue ☐ Reassess ☐ Seek expert help ☐ No further action

Continue observing

Keep the guide. Reprint the log. Let observation become the routine.